## 2018

## PHYSICS

( Major )

Paper: 6.2

Full Marks: 60

Time: 3 hours

The figures in the margin indicate full marks for the questions

# ( Mathematical Methods )

( Marks: 15 )

- 1. Answer any two from the following: 1×2=2
  - (a) In the language of tensors, what is the type of gradient of a scalar field?
  - (b) What is the total number of independent components of antisymmetric tensor a<sub>ik</sub> in four dimensions?
  - (c) Mention whether tensors  $a_i^{\mu} x^i$  and  $a_i^{\nu} x^i$  are same or not.
- 2. Answer any four from the following: 2×4=8
  - (a) Under transformation of coordinates, mention whether anti-symmetric property of a mixed tensor is conserved or not. Explain with reason.

- (b) If  $A_{km}^{ijp}$  is a tensor, show that  $A_{km}^{kmp}$  is a contravariant vector.
- (c) Show that the contraction of the outer product of tensors C<sup>m</sup> and D<sup>q</sup> is invariant.
- (d) What is the value of  $\delta_i^i$  in 6-dimensional space? Also evaluate  $\delta_j^i \delta_k^j \delta_l^k \delta^l$  in N-dimensional space.
- (e) Prove that the sum of two tensors of the same type is also a tensor.
- 3. Answer any one from the following:

Define inner product of two tensors.

Justify whether the following statement is correct or not:

"Inner product of two tensors is same as their outer product followed by contraction."

1+4=5

- (b) The Cartesian components of velocity vector of a fluid in motion in a two-dimensional plane are given by  $v_x = x^2$ ,  $v_y = y^2$ . Find the components of the velocity vector in  $(r, \theta)$  polar coordinates.
- (c) Show that in cylindrical polar coordinates  $(\rho, \phi, \zeta)$   $\operatorname{div} A^{i} = \frac{\partial A^{\rho}}{\partial \rho} + \frac{\partial A^{\phi}}{\partial \phi} + \frac{\partial A^{\zeta}}{\partial \zeta} + \frac{A^{\rho}}{\rho}$

5

5

(a)

# ( Solid State Physics )

( Marks: 45 )

- **4.** Choose the correct answer from the following: 1×7=7
  - (a) The coordination number of an SC structure is
    - (i) 2
    - (ii) 4
    - (iii) 6
    - (iv) 8
  - (b) If lattice parameters are a = b = c and  $\alpha = \beta = \gamma \neq 90^{\circ}$ , the crystal system is
    - (i) hexagonal
    - (ii) tetragonal
    - (iii) orthorhombic
    - (iv) trigonal
  - (c) The FCC structure
    - (i) is primitive
    - (ii) is non-primitive
    - (iii) may be either primitive or non-primitive
    - (iv) None of the above

- (d) Miller indices (hkl) represent
  - (i) a set of parallel planes
  - (ii) a particular plane
  - (iii) a set of arbitrarily oriented planes
  - (iv) None of the above
- (e) Bloch theorem is applicable to
  - (i) constant potential
  - (ii) periodic potential
  - (iii) infinite potential
  - (iv) None of the above
- (f) If temperature increases, the electrical conductivity of semiconductor
  - (i) increases
  - (ii) decreases
  - (iii) remains constant
  - (iv) reduces to zero

- (g) If the susceptibility of a material is independent of temperature, then it is
- (i) paramagnetic
  - (ii) diamagnetic
  - (iii) ferromagnetic
  - (iv) ferrimagnetic
- 5. Give short answers of the following questions: 2×4=8
  - (a) Find the Miller indices of a plane having intercepts 8a, 4b and 2c on the respective crystallographic axes.
  - (b) A crystalline solid diffracts X-ray. Can the solid also diffract visible light? Justify.
  - (c) Calculate the mean free path of conduction electron of copper. (Given relaxation time =  $2 \cdot 47 \times 10^{-14}$  sec and average velocity of electrons =  $1 \cdot 154 \times 10^{5}$  m/s.)
  - (d) Define Fermi energy.

- 6. Give answers of the following questions (any two): 5×2=10
  - (a) Explain the formation of metallic bond in solids. All metals are opaque to visible light and have high luster.
     Explain. 3+2=5
  - (b) What is superconductivity? Show schematically the variation of electrical resistivity with temperature for a superconductor. What is critical temperature? 2+2+1=5
  - (c) Discuss the important conclusions of Kronig-Penney model.
    5
  - (d) What are ferromagnetic domains?

    Explain B-H curve with the help of domain theory of a ferromagnetic material.

    1+4=5

## 7. Answer the following questions:

(a) Discuss the success and limitations of classical free electron theory of metals.
 Using classical theory, obtain an expression for resistivity of metal and comment on the result.

#### Or

(b)	Discuss	Langevin's		ı's	theory	of	
	paramagne	tism	and	obtain	Curie	law.	10

(c) Describe the seven-crystal system with diagram.

Or

(d) Distinguish among metal, semiconductor and conductor on the basis of band theory.

10

\*\*\*