

REFERENCES

- Abou-WalY, H., Abou-Setta, M.M., Nigg, H.N. and Mallory, L.L. (1991).Growth response of Fresh-water algae Anabaena flos-aquae and Selenastrum capricornutum to atrazine and hexazinone herbicides. *Bulletin of Environmental Contamination and Toxicology*.**46**: 223-29.
- Agnihotri, N.P. (1999). Pesticide safety evaluation and monitoring, all india coordinated research project on pesticide residues. Indian Agricultural Research Institute. New Delhi. pp- 173
- Ahluwalia, A.S., Khattar, J.S. and Singh, H. (2014).Cyanobacteria and agricultural crops. *Vegetos*, **27(1)**: 37-44.
- Ahmed, S.U. and Kalita, M.C. (2001). Distribution pattern of cyanobacteria in Nagaon subdivision, Nagaon, Assam. Three decades of research in biofertilizers and organic farming in NE India. *Phykos*. **38**: 84-90.
- Aktar, M.D., Sengupta, D. and Chowdhury, A. (2009). Impact of pesticides use in agriculture: their benefits and hazards. *Interdisciplinary Toxicology*. **2(1)**:1-12.
- Amdur, M.O., Donl, J. and Klassen, C.D. (eds.), 4th edition, *New York: Pergamon Press*. pp.2-18.
- Ameen, A. and Raza, S. (2017). Green Revolution: A Review. *International Journal of Advances in Scientific Research*. **3(12)**: 129-137.

Anonymous. (2007). U.S. what is pesticide? *Environmental Protection Agency*, **50**: 253-56.

Anonymous. (2010). Editorial - How to feed a hungry world? *Nature*. **466**: 531-532.

Anton, F. A., Laborda, E., Laborda, P. and Ramos, E. (1993). Carbofuran to two acute toxicity to freshwater algae and fish. *Bulletin of Environmental Contamination Toxicology*. **50**: 400-406.

Ash. C., Jasny, B.R., Malakoff, D.A. and Sugden, A.M. (2010). Feeding the future. *Science*. **327(5967)**: 797.

Averamova, S. and Rossler, M. (1975). Effect of various temperatures on some physiological-biochemical induces during the light phase of the life cycle of *Scenedesmus* sp. *Applied Microbiology*. **5**: 115-120.

Azi-zullah, A., Khattak, M.N.K., Richter, P. and Hader, D, P. (2011). Water pollution in Pakistan and its impact on public health – a review. *Environment International*. **37**: 479- 497.

Bakiyaraj, R., Baskaran, L. and Senthilkumar, T. (2014). Isolation and identification of cyanobacteria (*Oscillatoria pseudogeminata* G.schmid) from marine water and its potential on remediation of pesticide. *International Journal of Current Microbiology and Applied Sciences*. **3(3)**: 256-267.

Bambaradeniya, C.N.B. and Amerasinghe, F.P. (2003). Biodiversity Associated with the RiceFieldAgroecosystem in Asian Countries: A Brief Review. Colombo, Sri Lanka: International Water Management Institute Working Paper. Pp-63.

Barbora, B.C. and Biswas, A.K. (1996). Use pattern of pesticides in Tea Estates of North East India. *Two Bud*. **47(2)**: 19-21.

Baruah, P and Chaurasia, S. (2020). Ecotoxicological effects of alpha-cypermethrin on Fresh-water alga *Chlorella* sp.: growth inhibition and oxidative stress studies. *Environmental Toxicology and Pharmacology*. **76(103347)**:1-8.

Baruah, P.P., Kakati, B. and Ahmed, I. (2009). Some fresh water Algae of oil Refinery Effluent Drains of Assam, India. *Our nature*. **7**: 139-145.

Battah, M.G., Shabana, E.F., Kobbia, I.A. and Eladel, H.M. (2001). Differential effects of thiobencarb on growth and photosynthesis of *Anabaena variabilis* with changes in phosphate level. *Ecotoxicology and Environmental Safety*. **49**: 235–239.

Bendre, A.M. and Kumar, S. (1975). Cyanophyceae of Meerut. *Phykos*. **14**: 11-27.

Benson, W.R. (1969). The chemistry of pesticides. *Annals of the New York Academy of Sciences*. **1:7-29**.

Bhagabati, K.S. and Sarma, H. (2011). Differential effects of pesticides on soil microflora in cultivated soil of Indian rice field agro-ecosystems. *Journal of Applied and Natural Science*. **3 (2)**: 277-279.

Bharadwaj, N. and Baruah, P.P. (2013). Diversity and abundance of N₂ fixing cyanobacterial population in rice field soil crusts of Lower Brahmaputra Valley agro-climatic zone. *Journal of Algal Biomass Utilization*. **4(4)**: 23-33.

Bhatia, S.K. (1986). Pesticides resistance in agricultural pests in India. *Proceedings of the Indian National Science Academy*. **1**: 148-164.

Bhattacharyya, S., Nayak, B. and Choudhury, N.K. (2011).Response of Diazotropic cyanobacterium *Nostoc carneum* under pesticide and UV-B stress. *Chemosphere*. **84**:131-135.

Bhunia, A.K., Marik, R., Banerjee, S.K. (1994). Biochemical effects of carbaryl on nitrogen assimilating enzymes of cyanobacteria *Nostoc muscorum*. *Bulletin of Environmental Contamination and Toxicology*. **52**: 886–892.

Bhuyan, A. (1996).Morphological and ecological studies on Myxophycean algae available in the Nagoan district of Assam.Ph.D. thesis, Gauhati University, Guwahati, Assam.

Bishwajit *et al.* (2013). Self-sufficiency in rice and food security: a South Asian perspective. *Agriculture & Food Security*. **2**:10.

Bopape, M.J., Nofemela, R.S., Mosiane, M.S. and Modise, D.M. (2014). Effect of a selective and a broad spectrum Insecticide on parasitism rates of *Plutellaxylostella* (L). (Lepidoptera: Plutellidae) and species richness of its primary parasitoids. *African Entomology*. **22(1)**: 115-126.

Bordoloi, R.P.M. (1973). Studies on algal flora of Assam.PhD Thesis, Guwahati University.Guwahati, Assam, India.

Bruhl, P. and Biswas, K. (1922). The algae of Bengal filterbeds. *Journal Department of Science. Calcutta University*. **4**: 6-10.

Cáceres, T.P., Megharaj, M. and Naidu, R. (2008).Biodegradation of the pesticide fenamiphos by ten different species of green algae and cyanobacteria. *Current Microbiology*. **57**: 643–646.

Carr, N.G., Whitton, B.A. (1982). The Biology of cyanobacteria Botanical Monographs, vol 19. Blackwell Scientific, Oxford.

Chai, J.K. and Chung, Y.S. (1975). Physiological effects of 2,4dichlorophenoxy acetic acid (2, 4-D) on *Chlorella ellipsoidea*. Misaengmul Hakhoe Chi. (in Korean). **13**:101-08.

Chaurasia, N. (2014). Effect of locally used fungicide mancozeb and insecticide profenofos in rice fields of Meghalaya on the soil microflora. *International Journal of Pharma and Bio Sciences*. **5(3)**: (B) 1049 – 1060.

Chen, T., Huang, X., Guo, Q., Li, S., Yu, T., Li, H., He, H. and Li, Y. (2013). Butachlor induced some physiological and biochemical changes in a rice field biofertilizer cyanobacterium. *Pesticide Biochemistry and Physiology*.**105**: 24-230.

Coupe, R .H, Manning, M.N., Foreman, W.T., Goolsby, D.A. and Majewski, M.S. (2000). Occurrence of pesticides in rain and air in urban and agriculture areas of Mississippi. *The Science of the Total Environment*. **248**:227-240.

Da Silva, E. J., Henriksson, L. E. and Henriksson, E. (1975) Effects of pesticides on blue-green algae and nitrogen fixation. *Archives of Environmental Contamination and Toxicology*. **3**: 193-204.

Daly, H.V., Doyen, J.T., Purcell, A.H. (1998). Introduction to insect biology and diversity (II) Oxford University Press. pp. 279–300.

Das, N.P., Kumar, A. and Singh P.K. (2015). Cyanobacteria, pesticides and rice interaction. *Biodiversity Conservation*. **24**: 995-1005.

Das, S., and De, T.K. (2018). Microbial assay of N₂ fixation rate, a simple alternate for acetylene reduction assay. *MethodsX.* **5**:909-914.

Dasgupta, M. and Ahmed, S.U. (2013). Some potential rice field BGA isolates from Sonitpur district, Assam, North east India. *Journal of natural product and plant resources.* **3(4)**: 17–23.

De Maio, A. (1999). Heat shock proteins: facts, thoughts, and dreams. *Shock.* **11**: 1-12.

De Mulé, M.C.Z., De Caire, G.Z., De Cano, M.S., Palma, R.M. & Colombo, K. (1999) Effect of cyanobacterial inoculation and fertilizers on rice seedlings and postharvest soil structure. *Communications in Soil Science and Plant Analysis.* **30**:1-2. 97-107.

De, P.K. (1936).The problem of the nitrogen supply of rice. I. Fixation of nitrogen in the rice and its metabolites by two micro algae *Pseudokirchneriella subcapitata* and *Chlorococcum* sp. *Science of the Total Environment.* **398(1-3)**: 53-59.

De, P.K. and Mandal, L.N. (1950).Fixation of nitrogen by algae in rice soils. *Soil Science.* **81**:453-458.

Debnath, M., Mandal, N.C. and Ray S. (2012). Effect of fungicides and insecticides on growth and enzymetic activity of four cyanobacteria. *Indian journal of microbiology.* **52(2)**: 275-280.

Deka, S.J. and Sarma, G.C. (2011). Preliminary check list of Oscillatoriaceae (Cyanophyta), Goalpara district, Assam, India. *International Journal of Applied Biology and Pharmaceutical Technology.* **2(4)**:430-433.

Desikachary, T.V. (1959). Cyanophyta. Indian Council of Agricultural Research. New Delhi. Pp. 686.

Devi, G.A., Dorycanta, H. and Singh, N.T. (1999). Cyanobacterial flora of rice field soils of Manipur. *Phykos*, **38(1&2)**: 13-18.

Devi, P. (1981). Taxonomical and ecological studies on the Algal Flora of Darrang District of different irradiances in four freshwater i>/i. *Journal of Plant Physiology*. **163(7)**: 709-716.

Dey K.R., Choudhury, P., Dutta, B.K. (2013). Impact of pesticide use on the health of farmers: A study in Barak valley, Assam (India). *Journal of Environmental Chemistry and Ecotoxicology*. **5(10)**:269-277.

Dobsikova, R. (2003). Acute toxicity of Carbafurane to selected species of aquatic and terrestrial organisms. *Plant Protection Science*.**39**: 103-108.

Donaldson, D, T. Kiely, and A. Grube. (2002). Pesticides industry sales and usage: 1998 and 1999 market estimates. U.S. EPA. Office of Pesticide Programs. www.epa.gov/oppbead1/pestsales. pp.14-15.

Dowidar, S.M.A., Osman, M.E.H., Naggar, A.H.E.I. and Khalefa, A.E. (2010). Effect of butachlor and thiobencarb herbicides on protein content and profile and some enzyme activities of *Nostoc muscorum*. *Journal of Genetic Engineering and Biotechnology*.**8**: 89-95.

Dragun, J., A. C. Kuffner, and R. W. Schneiter. (1984). Groundwater contamination, part I, Transport and transformations of organic chemicals. *Chemical Engineering*. **91**: 65-70.

Dutta, J. and Baruah, P.P. (2019). Evaluating growth and biochemistry of *Westiellopsis prolifica* in response to Malathion. *Plant Science Today*. **6(4)**: 505-511.

Dutta, J. and Baruah, P.P. (2020). Evaluating differential effect of deltamethrin and carbofuran on growth characteristics of *Westiellopsis prolifica* Janet, a dominant nitrogen fixing cyanobacterium of tropical rice field ecosystem. *Biocatalysis and Agricultural Biotechnology*. **23**.

Ebihara K., Matsuno, H. and Kodaka, K. (2003). The discovery of dinotefuran: a novel Neonicotinoid. *Pest Management Science*. 1016-1022.

Ecobichon, D.J. (1991). Toxic effects of pesticides. In: *Casarett and Doull's toxicology*. Amdur, M.O., Donl, J. and Klassen, C.D. (eds.), 4th edition, New York:Pergamon Press. pp. 2-18.

Ehling-Schulz, M. and Scherer, S. (1999). UV protection in cyanobacteria. *European Journal of Phycology*. **34**: 329–338.

Eliazer Nelson, A.R.L., Ravichandran, K., Antony U. (2019). The impact of the Green Revolution on indigenous crops of India. *Journal of Ethnic Foods*. **6:8** 1-10.

El-Shahed, A.M. (2005). Interaction of 2,4-D with a nitrogen fixing *Nostoc rivulare* Kutzing associated with wheat plants. *Bulletin of Faculty Science*. Assam University. **15**: 123-132.

El-Shahed, A.M. and Abdel-Wahab, M.A. (2006). Para-nodule induction in wheat, maize and rice with 2, 4-D and its infection with *Nostoc rivulare* Kutzing. *Pakistan Journal of Biological Sciences*. **9**:1693-1699.

Eullaffroy, P. and Vernet, G. (2003). The F684/ F735 chlorophyll fluorescence ratio: A potential tool for rapid detection and determination of herbicide phytotoxicity in algae. *Water Research*. **37(9)**: 1983-1990.

FAO. (2005). Proceedings of the Asia Regional Workshop. Bangkok: Regional Office for Asia and the Pacific.

Fatma, T., Kumar, S., Habib, K. (2008). Endosulfan induced biochemical changes in nitrogen fixing cyanobacteria. *Science of Total Environment*. **403**: 130–138.

Feige,U., Morimoto, R.I., Yahara, I. and Polla, B.S. (1996). Stress-Inducible Cellular Responses. Birkhauser, Basel.

Fernandez-Valiente, E., Ucha, A., Quesada, A., Leganes, F. and Carreres, R. (2000). Contribution of N₂ fixing cyanobacteria to rice production: availability of nitrogen from ¹⁵N-labelled cyanobacteria and ammonium sulphate to rice. *Plant and Soil*. **221**:107–112.

Flores, E., Guerrero, M.G. and Losada, M. (1983a). Photosynthetic nature of nitrate uptake and reduction in the cyanobacterium *Anacystis nidulans*. *Biochimica et biophysica acta*. **722**:408-416.

Flores, E., Ramos, J.L., Herrero, A. and Guerrero, M.G. (1983b). Nitrate assimilation by cyanobacteria. In Papageorgiou G.C. and Packer L. eds. *Photosynthetic prokariotes*. Pp 363-387. New York: Elsevier.

Galhano, V., Peixoto, F., Gomes-Laranjo, J. and Fernandez-Valiente, E.(2009). Differential effect of bentazon and molinate on *Anabaena cylindrica*, an 212

autochthonous cyanobacterium of Portuguese rice field agro ecosystem. *Water Air & Soil Pollution*. **197(1-4)**: 211-222.

Gallo, M.A. and Lawryk, N.J. (1991). Organic Phosphorus Pesticides. In: Hayes Jr., and Laws Jr., E.R.,Eds., *Handbook of Pesticide Toxicology*, Vol. 2, Classes of Pesticides, Academic Press, San Diego.917-1123.

Gangwar, R.K., Singh, D.V., Tyagi, S., Kumar, V. and Sharma, P. (2014). Problems causing due to chemical pesticides and its effect on environment. *International Journal of Scientific Research and Development*. **2(7)**:520-522.

Geed, S.R., Kureel M.K., Shukla, A.K., Singh, R.S., Rai, B.N. (20`6). Biodegradation of malathion and evaluation of kinetic parameters using three bacterial species. *Resource-Efficient Technologies*. **2** :S3–S11.

Gillberg, B.O. (1971). On the effects of some pesticides on *Rhizobium* and isolation of pesticide-resistant mutants. *Archives of Microbiology*. **75**: 203-208.

Goldman, L.R. (2007). Managing pesticide chronic health risks: U.S. policies. *Journal of Agromedicine*. **12 (1)**: 67–75.

Gugger, M.F. and Hoffman, L. (2004). Polyphyly of true branching cyanobacteria (Stigonematales). *International Journal of Systematic and evolutionary Microbiology*. **54(2)**: 349-357.

Gupta, K. and Baruah, P.P. (2015). Effect of lambdacyhalothrin on *Calothrix* sp. (GUEco1001), an authchthonous cyanobacterium of rice fields of Brahmaputra floodplain. *Environmental Science and Pollution Research*. **22**: 18554-18560.

Gupta, K. and Baruah, P.P. (2020). Cypermethrin toxicity to rice field cyanobacterium *Calothrix* sp. *Vegetos*. **33(3)**: 401-408.

Gupta, P .K. (2004).Pesticide exposure- Indian scene.*Toxicology*. **198(1-3)**:83-90.

Gupta, P.K. (2011). Herbicides and fungicides. In: Gupta RC (ed): *Reproductive and developmental toxicology*. Amsterdam: Academic Press/Elsevier. pp. 503-521.

Gurusubramanian, G., Rahman, A., Sarmah, M., Ray, S and Bora, S. (2008). Pesticide usage pattern in tea ecosystem, their prospects and alternative measures. *Journal of Environmental Biology*. **29(6)**: 813-826.

Habib, K., Manikar, N., Ansari, S. and Fatma, T. (2013). Carbaryl stress induced cellular changes in *Calothrix brevissima*. *Environmental Science and Pollution Research*. **20**. 862–871.

Hazarika, D. (1988). Study of blue green algae in paddy fields of Golaghat subdivision,Jorhat, Assam. Ph.D. thesis, Gauhati University, Guwahati, Assam.

Hazarika, R. (2010). Effect of Occupational Exposure of Pesticides on Health of Farmers of the Agricultural Fields of Sorbhug Area of Lower Assam. *Nature Environment and Pollution Technology*.**10(2)**: 237-241.

Hazell, Peter B.R. (2009). *The Asian Green Revolution. IFPRI Discussion Paper*. Intl Food Policy Res Inst. GGKEY:HS2UT4LADZD.

Hirschberg, J. and Chamovitz, D. (1994). Carotenoids in cyanobacteria. In: Bryant, D.A (Ed.),*The Molecular Biology of Cyanobacteria, Advances in Photosynthesis*, vol. 1. KluwerAcademic, Dordrecht, pp. 559–579.

Hock, W. et al. (1991). Farm Chemicals Manual: A Guide to Safe Use and Handling. The Agricultural and Veterinary Chemicals in Association of Australia Ltd.

Hoysater, T. (1994). Pesticides in surface water and in sediments in Norway. In: Helweg, A. (Ed.). Pesticides in Precipitation and Surface Water. TemaNord 1995:55 8. Nordic Council of Ministers, Copenhagen. pp. 103–118.

Ibrahim, J. A., Abdul latif, M. Jawad, Abdulhasan, G.A., Ahmed A. Al- Hussieny, Laith Ibrahim, M. (2018). Molecular detection of Toxigenic New Record Cyanobacterium: *Westiellopsis prolifica* In Tigris River. *International Journal of Scientific and Technology Research*. **2(11)**: 87-91.

Ibrahim, L., Preuss, T.G., Ratte, H.T. and Hommen, U. (2013). A list of fish species that are potentially exposed to pesticides in edge-of-field water bodies in the European Union-a first step towards identifying vulnerable representatives for risk assessment. *Environmental Science and Pollution Research*. **20**: 2679-2687.

Irisarri, P, Gonnet, S and Monza, J. (2001). Cyanobacteria in Uruguayan rice fields: Diversity, nitrogen fixing ability and tolerance to herbicides and combined nitrogen. *Journal of Biotechnology*. **91**: 95-103.

Janet, M. (2011). *Westiellopsis prolifica*, gen. et sp. nov., a new member of the Stigonemataceae. *Annals of Botany*. N.S. **5(17)**.

Jebali, M., Banni, H., Guerbej, E.A., Almeida, A., Bannaoui, H. Boussetta. (2006). Effects of malathion and cadmium on acetylcholinesterase activity and metallothionein levels in the fish *Seriola dumerilli*. *Fish Physiology and Biochemistry*. **32 (1)**. pp. 93-98.

Jha, M.N. and Mishra, S.K. (2005). Biological responses of cyanobacteria to insecticides and their insecticide degrading potential. *Bulletin of Environmental Contamination and Toxicology*. 374–381.

Kagabu, S. (2011). Discovery of imidacloprid and further developments from strategic molecular designs. *Journal of agricultural and Food Chemistry*. **59**: 2887-2896.

Kalia, A. and Gupta, R.P. (2004). Disruption of soil foodweb by pesticides. *Indian Journal of Ecology*. **31(2)**:85-92.

Kamrin, M.A. (1997). Pesticide Profiles: toxicity, environmental impact, and fate. CRCPress. Kannaiyan, S., Aruna S.J., Kumari, S.M.P. and Hall, D.O. Immobilized Cyanobacteria as a biofertilizer for rice crops. *Journal of Applied Phycology*, **9**: 167-174.

Kannaiyan. S., Aruna, S.J., Kumari, S.M.P. and Hall, D.O. (1997) Immobilized cyanobacteria as biofertilizer for rice crop. *Journal of Applied Phycology*. **19**:167–174

Kapoor, K. and Leenta, A. (1996). Observations on the growth responses of Cyanobacteria under the influence of herbicides. *Pollution Research*. **15(4)**: 343-351.

Kapoor, K., Sonie, K.C. and Gupta P. (1996). Certain observations on the effect of three pesticides on heterocystous nitrogen-fixing cyanobacterium *Fischerella muscicola*. In: *Current Researches in Plant Sciences*. Vol 2 (Eds, T.A. Sarma, S.S. Saini, M.L. Trivedi & M. Sharma) Pub. Bishen Singh and Mahendra Pal Singh, Dehradun, India. pp. 23-27.

Kobbia, I.A., Battah, M.G., Shabana, E.F., Eladel, H.M. (2001). Chlorophyll a fluorescence and photosynthetic activity as tools for the evaluation of simazine toxicity to *Protosiphon botryoides* and *Anabaena variabilis*. *Ecotoxicology and Environmental Safety*. **49**: 101–105.

Koesukwiwat, U., Sanguankaew, K. and Leepipatpiboon, N. (2014). Evaluation of a modified QuEChERS method for analysis of mycotoxins in rice. *Food Chemistry*. **153**:44–51.

Kolte, S.A. and Goyal, S.K. (1986). Variability of nitrogen in edaphic strains of blue-green algae from Vidarbha region of Maharashtra. In: R. Singh, H.S. Nainawatee and S.K. Sawhney (Eds.). *Current status of biological nitrogen fixation research*. Haryana Agric Univ., Hissar, India. pp. 78-79.

Komarek, J. 2013. Subwasserflora von Mitteleuropa. Cyanoprokaryota: 3rd part: heterocystous genera. Heidelberg: Springer. Vol. 19/3. pp. 1130.

Komarek, J. and Anagnostidis, K. (1989). Modern approach to the classification system of Cyanophytes 4-Nostocales. *Algological Studies*. **56**:247-345.

Komarek, J., Kastovsky, J., Mares, J. and Johansen, J.R. (2014). Taxonomic classification of cyanoprokaryotes (cyanobacterial genera), using a polyphasic approach. *Preslia*. **86**: 295-335.

Krishnaiah, K., Varma, N.R.G. (2013). Changing Insect Pest Scenario in the Rice Ecosystem – A National Perspective.

Kumar, J., Singh, R., Parihar, P., Singh, V.P., Prasad, S.M. (2016). UV-B induces biomass production and non enzymatic antioxidant compounds in three cyanobacteria. *Journal of Applied Phycology*. **28**:131–140.

Kumar, N., CiniOommen, J.I. and Kumar, R.N. (2009). Biosorption of heavy metals from aqueous solution by green marine macroalgae from Okha Port, Gulf of Kutch, India. *Am-Euras. Journal of Agriculture and Environmental Sciences.* **6**: 317-323.

Kumar, N.J.I. (1991). Response of *Anabaena sp. 310* to isoproturon. *Journal of Indian Botanical Society.* **70**:277–280.

Kumar, N.J.I., Manmeet K.A., Kumar, R.N., and Bora A. (2010). Consequence of 2,4- D and pencycuron treatment on three different Cyanobacterial species – *Anabaena fertilissima* Rao, *Aulosira fertilissima* Ghose, *Westiellopsis prolifica* Janet. *Electronic Journal of Environmental, Agricultural and Food Chemistry.* **9(5)**: 847-859.

Kumar, N.J.I., Manmeet, K.A., Kumar, R.N. and Bora, A. (2012). Differential effects of agricultural pesticides endosulfan and tebuconazole on photosynthetic pigments, metabolism and assimilating enzymes of three heterotrophic, filamentous cyanobacteria. *Journal of Biodiversity and Environmental Sciences.* **6(16)**: 67–75.

Kumar, P., Kim, K.H., Deep, A. (2015): Recent advancements in sensing techniques based on functional materials for organophosphate pesticides. *Biosensors and Bioelectronics.* **70**:469–481.

Kumar, P.K., Krishnab, S.V., Vermaa, K., Poojac, K., Bhagawana, D., Srilathaa, K., and Himabind, V. (2018). Bio oil production from microalgae via hydrothermal liquefaction technology under subcritical water conditions. *Journal of Microbiological Methods.* **153**: 108-117.

Kumar, V.M. (2010). Mixed toxicity of three organophosphorus pesticides (Quinalphos, Malathion, Monocrotophos) and studies on effects of quinalphos on fresh water fish Channa punctatus Bloch. Ph. D. thesis, Acharya Nagarjuna University, Andhra Pradesh.

Lahm, G.P., McCann, S.F., Harrison, C.R., Stevenson, T.M. and Shapiro. R. (2001). Evolution of the sodium channel blocking insecticides: the discovery of indoxacarb, in: D.R. Baker, N.K. Umetsu (Eds.), Agrochemical Discovery: Insect, Weed, and Fungal Control, American chemical Society, Washington D.C. pp. 20–34.

Lal, S. and Saxena, D.M. (1980). Cytological and biochemical effect of pesticides on microorganisms. *Residue Reviews*. **73**: 49–86.

Lallas, P. (2001). Reproductive Effects in Birds Exposed to Pesticides and Industrial Chemicals. The Stockholm Convention on persistent organic pollutants. *American Journal of International Law*. **95**:692–708.

Larson, S.J., Gilliom, R.J., Capel, P.D. (1999). Pesticide streams of the United States—Initial results from the national water quality assessment program, U.S. Geological Survey, Water resource. *Investigation Report*. **57**:383–398.

Lefrancq, M., Imfeld, G., Payraudeau, S., Millet, M. (2013). Kresoxim methyl deposition, drift and run off in a vineyard catchment. *Science of the Total Environment*. **442**:503–508.

Leganes, F. and Fernandez-Valiente, E. (1992). Effects of phenoxy acetic herbicides on growth, photosynthesis, and nitrogenase activity in cyanobacteria from rice fields. *Archives of Environmental Contamination and Toxicology*. **22**: 130-134.

Liu, C.J., Men, W.J., Liu, Y.J., Zhang, H. (2002). The pollution of pesticides in soils and its bioremediation. *System Sciences and Comprehensive Studies in Agriculture*. **18**: 295-97.

Lowry, O.H., Rosenbrough, N.H., Farr, A.L., and Randall, R.J. (1951). Protein measurements with folin phenol reagent. *Journal of Biological Chemistry*. **193**: 265-75.

Lowry, O.H., Rosenbrough, N.H., Farr, A.L., and Randall, R.J. (1951). Protein measurements with folin phenol reagent. *Journal of Biological Chemistry*. **193**: 265-75.

Lum, A., Fontem, David, C. and Adesiyan, S.O. (2005). Effect of Nicosulfuron Dosages and Timing on the Postemergence Control of Cogongrass (*Imperata cylindrica*) in Corn. *Weed Technology*. **19(1)**:122-127.

Lushchak, V.I., Matviishyna, T.M., Husaka, V.V., Storeyb, J.M. and Storeyb, K.B. (2018). Pesticide Toxicity: A Mechanistic Approach. *EXCLI Journal*. **17**: 1101-1136.

M.S. Mehdi (Eds.). Biological Nitrogen Fixation, New Delhi: Indian Council of Agricultural Research.45-47.

Mackinney, G. (1941). Absorption of light by chlorophyll solution. *Journal of Biological Chemistry*. **140**:315-22.

Mainkar, D., Gupta, T., Patel, S.C., Lehmann, B., Diwan, P., Kaminsky, F.V. and Khachatryan, G.K. (2013). Diamonds from the BehradihKimberlite Pipe, BastarCraton, India: A Reconnaissance Study. D. G. Pearson *et al.* (eds.), Proceedings of 10th International Kimberlite Conference, 1. Special Issue of the Journal of the Geological Society of India. pp 309-316.

Malone, R.W., Ahuja, L., Ma., L., Wauchope, R., Ma, Q. and Rojas, K. (2004). Application of the Root Zone Water Quality Model (RZWQM), to pesticide fate and transport: an overview. *Pest Management Science*. **60(3)**: 205-221.

Maly, M., Rubber, E. (1983). Bulletin of Environmental Contamination and Toxicology. **30**. 464.

Mansour, F.A., Soliman, A.R.I., Shaaban-Desouki, S.A., Hussein, M.H. (1994). Effect of herbicides on cyanobacteria. I. changes in carbohydrate content, Pmase and GOT activities in *Nostoc kihlmani* and *Anabaena oscillarioides*. *Phykos*.**33**: 153–162.

Maruthanayagam, C. and Sharmila, G. (2004). Pesticides - A boon or curse to human, *Agribios* (II).**8**:30-32.

Maslova, I. P., Mouradyan, E. A., Lapina, S. S., Klyachko-Gurvich, G. L. and Los, D. A. (2004). Lipid fatty acid composition and thermophilicity of cyanobacteria. *Russian Journal of Plant Physiology*. **51**: 353 - 360.

Mathur, S.C. (1999). Future of Indian pesticides industry in next millennium. *Pesticide Information*. **24(4)**: 9-23.

Matros, A., Peshev, D., Peukert, M., Mock, H.P., Van Den Ende, W. (2015). Sugars as hydroxyl radical scavengers: proof-of-concept by studying the fate of sucrose in *Arabidopsis*. *Plant Journal*. **82**: 822–839.

Mellanby K. (1978). Forword. In: *Pesticides microbiology*. Hill. I.R and Wright S.J.L.(Eds.) Academic Press, Newyork. Pp.VII.

Mellanby, K. (1978). Forword. In: Pesticides microbiology. Hill. I. R and Wright, S.J.L. (Eds.) Academic Press, Newyork. pp. 7.

Miller, G.T. (2002).Living in the Environment Belmont: Wadsworth/Thomson Learning.

Mishra U. and Pabbi S. (2004). Cyanobacteria: a potential biofertilizer for rice. *Resonance*, **9**: 6-10.

Mohapatra P.K., Patra S., Samantaray P.K. and Mohanty R.C. (2003). Effect of the pyrethroid insecticide cypermethrin on photosynthetic pigments of the cyanobacterium *Anabaena doliolum* Bhar. *Polish Journal of Environmental Studies*. **12**:207–212.

Mohapatra, P.K. and Schiewer, U. (2000). Dimethoate and quinalphos toxicity: pattern of photosynthetic pigment degradation and recovery in *Synechocystis* sp. PCC 6803. *Archiv für Hydrobiologie , Supplement*.**134**: 79–94.

Moreland, D.E. (1980). Mechanisms of action of herbicides. *Annual Review of Plant Physiology*. **31**: 597–638.

Mukherjee, S.K. (2006). Pesticide use. In: Chadha KL, Swaminathan MS, eds. Environment and Agriculture. New Delhi: Malhotra Publishing House. 211-227.

Mullie, W.C., Verwey, P.J., Berends, A.G., Sene, F., Koeman, J.H. (1991). Impact of Furadan 3G (Carbofuran) Applications on Aquatic Macroinvertebrates in Irrigated Rice in Senegal. *Archives of Environmental Contamination and Toxicology*. **20**: 177-182.

Murphy, G. (2005). "Pesticide Rotation". Ontario Ministry of Agriculture, Food and Rural Affairs. Archived from the original on October 13, 2007. Retrieved Sep 15, 2007.

Myers, J., Kratz, W.A. (1955). Relationship between pigments content and photosynthetic characteristics in a blue green algae. *Journal of General Physiology*. **39**:11-21.

Nath, D.C. (2012). Effect of pesticide on the occurrence and distribution of blue green algae in the rice fields of Dhubri district, Assam. Ph.D. thesis, Gauhati University, Guwahati, Assam.

Newman, J.F. (1978). Pesticides. In: *Pesticide Microbiology*. Hill, I.R. and Wright, S.J.L.(eds.), Academy Press, London, pp.1-16.

Nicolaus, B., Panic, A., Lama, L., Ramano, I., Manca, M.C., De Giulio, A. and Gambacorta, A. (1999). Chemical composition and production of exopolysaccharides from representative member of heterocystous and non-heterocystous cyanobacteria. *Phytochemistry*, **52**: 639-647.

Nofyan, E., Lamin, S., Patriot, I. T., Mohammad, K. (2017). Physiological Effects of Carbofuran on Earthworm *Pheretima javanica* Gates. *Advances in Life Sciences*. **7(2)**: 21-25.

Okmen, G. and Ugur, A. (2011). Influence of bispyribac sodium on nitrogenase activity and growth of cyanobacteria isolated from paddy fields. *African Journal of Microbiology Research*. **5(18)**: 2760-2764.

Okuda, A. and Yamaguchi, M. (1952). Algae and atmospheric nitrogen fixation in paddy soils.II: Relation between the growth of blue-green algae and physical and chemical properties of soil and effect of soil treatments and inoculation on the nitrogen fixation. Memoirs of the Research Institute for Food Science, Kyoto University. **4**: 1-11.

Pandey, D.C. (1965a). A study of the algae from paddy field soils of Ballia and Ghazipur district of Uttar Pradesh, India-I. *Nova Hadwigia*. **9(1-4)**: 299-334.

Pandey, D.C. 1965b. A study of the algae from paddy field soils of Ballia and Ghazipur district of Uttar Pradesh, India. *Nova Hadwigia*, **10(1/2)**: 177-207.

Parukutty, P.R. (1939). Collection of Algae from Assam. Proceedings of The Indian Academy Sciences. B **IX(5)**: 229-235.

Patil, V. K. and David, M. (2008). Behaviour and respiratory dysfunction as an index of Malathion toxicity in the freshwater fish, *Labeo rohita* (Hamilton). *Turkish Journal of Fisheries and Aquatic Sciences*. **8**.pp. 233.

Pattnaik, S. and Samad, L.K. (2018). Morphological and biochemical characterization of sub-aerial cyanobacteria isolated from building facades and monuments of Odisha. *International Journal of Current Microbiology and Applied Sciences*. **7(6)**: 556-571.

Pavela, R. (2016). History, Presence and perspective of using plant extracts as commercial botanical insecticides and farm products for protection against insects-a review. *Plant Protection Science*. **52(4)**: 229-241.

Pereira, I., Ortega R., Barrientos, L., Moya, M., Reyes, G. and Kramm, V. (2008). Development of a biofertilizer based on filamentous nitrogen-fixing cyanobacteria for rice crops in Chile. *Journal of Applied Phycology*. **21**:135-144.

Peterson, H.G., Boutin, C., Freemark, K.E. and Martin, P.A. (1997). Toxicity of hexazinone and diquat to green algae, diatoms, cyanobacteria and duckweed. *Aquatic Toxicology*. **39**:111-134.

Phukan, T., Rai, A.N. and Syiem, M.B., (2019). Unstandardized UV-C dose used for killing harmful cyanobacteria may instead initiate accelerated growth in the target organisms.

Ecotoxicology and Environmental Safety. **181**: 274–283.

Pimentel, D. (1995). Amounts of pesticides reaching target pests: Environmental impacts and ethics. *Journal of Agricultural and Environmental Ethic*. **8(1)**:17-29.

Pimentel, D. (2009b). Environmental and economic costs of the application of pesticides primarily in the United States. In: Rajinder P, Dhawan A. eds. Integrated pestmanagement: Innovation-development process. *Springer*.**1**: 88-11.

Pipe, A.E. (1992). Pesticide effects on soil algae and cyanobacteria. *Reviews of Environmental Contamination Toxicology*. **127**: 95-170.

Porsbring, T., Blanck, H., Tjellstro€m, H. and Backhaus, T. (2009).Toxicity of the pharmaceutical clotrimazole to marine microalgal communities. *Aquatic Toxicology*. **91(3)**: 203–211.

Prasad, S.M., Sheeba, Singh, V.P. and Srivastava, P.K. (2011).Differential physiological andbiochemical responses of two cyanobacteria *Nostoc muscorum* and *Phormidium foveolarum* against oxyfluorfen and UV-B radiation. *Ecotoxicology and Environmental Safety*. **74**: 1981-1993.

Prasad, S.M., Zeeshan, M. and Kumar, D. (2011).Toxicity of endosulfan on growth, photosynthesis, and nitrogenase activity in two species of Nostoc (*Nostoc muscorum* and *Nostoc calcicola*).*Toxicological and Environmental Chemistry*. **93**: 513–525.

- Prasanna, R., Babu, S., Rana, A., Kabi, S. R., Chaudhary, V., Gupta, V., and Pal, R. K. (2013). Evaluating the establishment and agronomic proficiency of cyanobacterial consortia as organic options in wheat–rice cropping sequence. *Experimental Agriculture*. **49**: 416–434.
- Prasanna, R., Jaiswal, P., Jadhav, S. D., Joshi, M., Nain, L., Rana, A., and Shivay, Y. S. (2012). Evaluating the potential of rhizocyanobacteria as inoculants for rice and wheat. *Journal of Agricultural Technology*. **8**: 157–171.
- Prosperi, M.T., Ferbus, D., Karczinski, I. and Goubin, G. (1993). A human c DNA corresponding to a gene overexpressed during cell proliferation encodes a product sharing homology with amoebic and bacterial proteins. *Journal of Biological Chemistry*. **268**:11050-11056.
- Rana, A., Joshi, M., Prasanna, R., Shivay, Y. S., and Nain, L.(2012). Biofortification of wheat through inoculation o plant growth promoting rhizobacteria and cyanobacteria. *European Journal of Soil Biology*. **50**: 118-126.
- Rao, G.V., Rupela, O.P., Rao, V.R. and Reddy, Y.V. (2007). Role of biopesticides in crop protection: present status and future prospects. *Indian Journal of Plant Protection*. **35(1)**:1-9.
- Ravindran, C.R.M., Suguna, S.and Shanmugasundram, S. (2000). Tolerance of Oscillatoria isolates to agrochemicals and pyrethroid components. *Indian Journal of Experimental Biology*. **38**:402-404.
- Reddy, P.M., Yamnam, D.D. and Imchen, T.Y. (1986). Investigations on the blue green algae of North-East India.Distribution and habitat preferences. *Phykos*. **25**:148-158.

Rippka, R., Deruelles, J., Waterbury, J.B., Herdman, M. and Stainer, R.Y. (1979). Generic assignments, strain histories and properties of pure cultures of cyanobacteria. *Journal of General Microbiology*. **111**:1-61.

Roger, P. A. (1995). The impact of pesticides on rice field micro flora: an analytical review of the literature. In P. L. Pingali, & P. A. Roger (Eds.), Impact of Pesticides on Farmer Health and the Rice Environment,Dordrecht: Kluwer Academic. pp. 271–308.

Roger, P.A., Kulsooriya, S.A. (1980). Blue green algae and rice.Int Rice Res Inst, Los Banos Laguna.

Roger, P.A., Ladha, J.K. (1992). Biological N₂ fixation in wetland rice fields: Estimation and contribution to nitrogen balance. *Plant Soil*. **141**: 41-55.

Roger, P.A., Simpson, I., Ardales, S. and Jamenez, R. (1995). Effect of pesticides on soil water microflora and mesofauna in wetland rice field: a summary of current knowledge and extrapolation to temperate environments. *Australian Journal of Experimental Agriculture*. **34**: 1057–1068.

Rosales, N., Ortega, J., Mora, R. and Morales, E. (2005). Influence of salinity on the growth and biochemical composition of the cyanobacterium *Synechococcus* sp. *Ciencias Marinas*. **31**: 349 - 355.

Saadatnia, H .and Riahi , H. (2009). Cyanobacteria from paddy fields in Iran as a biofertilizer in rice plants. *Plant Soil Environment*. **55(5)**: 207–212.

Saeedi Saravi, S.S. and Shokrzadeh, M. (2011). Role of Pesticides in Human Life in theModern Age: A Review. Pesticides in the Modern World - Risks and Benefits. Pp 3-12.

Saikia, P. and Bordoloi, R.P.M. (1994). Blue Green Algal flora from rice fields of Assam. *Phykos*. **33(1&2)**:53-57.

Sakamoto, N., Saito, S., Hirose, T., Susuko, M., Matsuo, S., Izumi, K., Nagatomi, T., Ikegami, H., Umeda, K., Tsushima k. and Matsuo, N. (2003). The discovery of pyridalyl: a novel insecticidal agent for controlling lepidopterous pests. *Pest Management Science*. **60**: 25-34.

Schagerl, M. and Muller, B. (2006). Acclimation of chlorophyll a and carotenoid levels to different irradiances in four freshwater cyanobacteria. *Journal of Plant Physiology*. **163(7)**: 709-716.

Seo, A., Tohnishi,M., Nakao, H., Furya, T., Kodama,H., Tsubata, K., Fujioka, S.,Kodama, H., Nishimatsu, T. and Hirooka, T. (2007). Flubendiamide, a newinsecticide characterized by its novel chemistry and biology, in: H.Ohkawa, H. Miyagawa, P.W. Lee (Eds.), *Pesticide Chemistry: Cro Protection, Public Health, Environmental Safety*, Wiley-VCH, Weiheim,GR, pp. 127–135 .

Sethi, S.K., Samad ,L.K., and Adhikary ,S.P. (2012). Cyanobacteria and micro-algae inbiological crusts on soil and sub-aerial habitats of eastern and north eastern region of India. *Phykos*. **42**: 1-9.

Shafer, T.J., Rijal, S.O., Gross, G.W., (2008).Complete inhibition of spontaneous activity in neuronal networks in vitro by deltamethrin and permethrin. *Neuro Toxicology*. **29**:203–221.

Shen, J.Y., Jiang, J., Zheng, P. (2009). Effect of light and monosulfuron on growth and photosynthetic pigments of *Anabaena flosa quae* Breb. *Journal of Water Resource and Protection*. **1**: 408–413.

Shen, J.Y., Liao, J.Z., Guo, L.L. and Su, R.F. (2017). Effects of monosulfuron-ester on metabolic processes of nitrogen-fixing cyanobacteria *Anabaena flos- aquae* and *Anabaena azotica*. *Brazilian Journal of Microbiology*. **48**: 544-550.

Shinde, G.S., Pingle, S.D. and Gunale, V.R. (2010). Interaction of *Calothrix javanica* de Wilde with furadon, a carbamate pesticide. *Asian Journal of Experimental Biological Sciences*. **1(1)**: 129-131.

Shiva, V. (1998). Alternatives do intensification of agriculture: shadow acres and mad cows. In World Congress of Animal Production. pp. 71 -87.

Shrivastave, B., Shrivastave. A., Kumar A., Bhatt, J.L., Bajpai, S.P., Parihar S.S., and Bhatnagar, V. (2011). Impact of Deltamethrin on environment; use as an insecticideand its bacterial degradation – A priliminary study. *International Journal of Environmental Science*. **1(5)**: 977-985.

Singh, D.P., Khattar J.I.S., Nadda, J., Sing,h Y., Garg, A., Kaur, N. and Gulati, A. (2011). Degradation Chlorpyrifos by the cyanobacterium *Synechocystis* sp. Strain PUPCCC 64. *Environmental Science and Pollution Research*. **18**: 1351–1359.

Singh, D.P., Khattar, J.I.S., Gupta, M. and Kaur, G. (2014). Evaluation of toxicological impact of cartap hydrochloride on some physiological activities of a non heterocystous

cyanobacterium *Leptolyngbya foveolarum*. *Pesticide Biochemistry and Physiology*. **110**: 63-70.

Singh, D.P., Khattar, J.I.S., Kaur, G. and Singh, Y. (2016). Toxicological Impact of Herbicides on Cyanobacteria. *Annual Research & Review in Biology*. **9(4)**: 1-39.

Singh, D.P., Khattar, J.I.S., Kaur, G., Gupta, M., Kaur, G. and Singh, Y. (2013). Anilofos tolerance and its mineralization by the cyanobacterium *Synechocystis* sp. Strain PUPCCC 64. *Plos One*. **8(1)**: 534-545.

Singh, N.I. (2001). Studies of Cyanobacterial microflora isolated from the rice field soils of N.E. India. *Three decades of Research in Biofertilizer and Organic farming in N. India*. pp. 72-83.

Singh, N.K. and Dhar, D.W. (2010). Cyanobacterial reclamation of salt-affected soil. In: Genetic engineering, bio fertilization, soil quality and organic farming, *Springer Science Business Media* B.V., Dordrecht, the Netherlands. pp. 243–275.

Singh, P., Dubey, N and Bagchi, S.N. (2017). *Westiellopsis ramosa* sp. nov., intensely branched species of *Westiellopsis* (Cyanobacteria) from a freshwater habitat of Jabalpur, Madhya Pradesh, India. *Plant Systematics and Evolution*. **303**: 1239-1249.

Singh, P.K. (1975). Fertilizer tolerance of blue green algae and their effect on heterocyst differentiation. *Phykos*. **14**: 81-88.

Singh, R. N. (1961). The role of Blue Green Algae in Nitrogen economy of Indian agriculture. *Indian Council of Agricultural Research and Publication*. New Delhi.

Singh, R., Parihar, P., Singh, M., Bajguz, A., Kumar, J., Singh, S., Singh, V.P. and Prasad,S.M. (2017). Uncovering potential applications of Cyanobacteria and metabolites in biology, agriculture and medicine: current status and future prospects. *Frontiers in Microbiology*. 8.

Singh, S., and Datta P. (2006). Screening and selection of most potent diazotrophic cyanobacterial isolate exhibiting natural tolerance to rice fields herbicides for exploitation as biofertilizers. *Journal of Basic Microbiology*. **46**: 219-225.

Sinha, J.P. and Pandey, S. (1972). Blue-green algae of paddy fields of Chota Nagpur, Bihar. *Proceedings of the Indian Science Congress Association*. **59**: 295-296.

Smith, C. Wayne, (2000). *Sorghum: Origin, History, Technology, and Production*. John Wiley and Sons. ISBN 0-471-24237-3

Song, T., Martensson, L., Eriksson, T., Zheng, W. and Rasmussen, U. (2005). Biodiversity and seasonal variation of the cyanobacterial assemblage in a rice paddy field in Fujian, China. *The Federation of European Materials Societies Microbiology Ecology*. **54**: 131-140.

Starr, A., Bargu, S., Maiti, K. and Delaune, R. (2017).The effect of Atrazine on Louisiana Gulf Coast estuarine phytoplankton. *Archives of Environmental Contamination and Toxicology*. **72(2)**.

Subhashini, R. Kumar, K. and Kannaiyan, S. (2003), Intrinsic antibiotic resistance and biochemical characteristics of *Anabaena azollae* isolated from *Azolla* - cultures. *Indian Journal of Microbiology*. **43**: 165 -169.

Suresh Babu, G., Hans, R.K., Singh J., Vishwanathan, P.N. and Joshi, P.C. (2001). Effect of lindane and growth and metabolic activity of Cyanobacteria. *Ecotoxicology and Environment Safety*. **48(2)**: 219-221.

Syiem, B.M., Nongbri, B.B., Pinokiyo, A., Bhattacharjee, A., Nongrum, N.A. and Hynniewta, L. 2010. Significance of cyanobacterial diversity in different ecological conditions of Meghalaya, India. *Journal of Applied and Natural Science*. **2(1)**: 134-139.

Tandon, R.S., Lal, R. and Rao, N. (1988). Interaction of Endosulfan and malathion with blue-green algae *Anabaena* and *Aulosira fertilissima*. *Environmental Pollution*. **52(1)**: 1-9.

Thajamanbi, M., Rout, J. and Thajuddin, N. (2016). Isolation and characterization of two Cyanobacterial strains *Calothrix* sp. and *Microchaete* sp. from rice fields of Karimganj district, Assam, North East India. *Current World Environment*. **11(2)**: 399-405.

Thajuddin, N. and G. Subramanian. (2005). Cyanobacterial Biodiversity and potential application in Biotechnology. *Current Science*. **89(1)**: 47-57.

Thamida Begum, Z.N., Mandal, R. and Islam S. (2011). Effect of cyanobacterial biofertilizer on the growth and yield components of two HYV rice. *Journal of Algal Biomass Utilization*. **2(1)**: 1-9.

Thingujam, I., Tiwari, O.N. and Lal, G. Tiwari. (2016). Screening and characterization of cyanobacterial species isolated from Loktak Lake, Manipur, India with emphasis on biofortification. *International Journal of Advanced Research in Biological Sciences*. **3(1)**: 88-98.

Tilman ,D., Fargione, J., Wolff, B. and D'An, C. (2001). Forecasting agriculturally driven global environmental change. *Science*. **292**: 281-284.

Tiwari ,O.N., Dhar, D.W., Prasanna, R., Shukla, H.M., Singh, P.K. and Tiwari, G.L. (2000).Growth and nitrogen fixation by non- heterocystous filamentous cyanobacteria of rice fields of Uttar Pradesh, India. *Philippine Journal of Science*. **129**:101–107.

Tiwari, O.N., Prasanna, R., Yadav, A.K., Dhar, W.D., Singh, P.K. (2001).Growth potential and biocide tolerance of non-heterocyst filamentous cyanobacterial isolates from rice fields of Uttar Pradesh. *India. Biology and Fertility of Soils*. **34**:291-95.

Tiwari, R.K., Baghel, R.P.S., Singh, S.K., (2005). Inclusion of Niger and sesame cake replacing soybean meal in coarse cereals based starter chicken ration. *Indian Journal of Poultry Science*. **40(3)**: 241–244.

Ulen, B., Krueger ,J. and Sundin,P. (2002). Pesticides in Water Coming from Agriculture and Communities, SLU, Fakta Jordbruks, Uppsala, Sweden. Nr,5.

Vaishampayan, A., Sinha, R.P., Hader, D.P., Dey, T., Gupta, A.K., Bhan, U. and Rao, A.L.(2001).Cyanobacterial biofertilizer in rice agriculture. *The Botanical Review*. **67(4)**:453-516.

Van Den Ende, W., Valluru, R. (2009). Sucrose, sucrosyl oligosaccharides, and oxidative stress: scavenging and salvaging? *Journal of Experimental Botany*. **60**: 9–18.

Vargas, M. A., Rodriguez, H., Moreno, J., Olivares, H., Del Campo, J. A. ,Rivas, J. and Guerrero, M. G. (1998), Biochemical composition and fatty acid content of filamentous nitrogen fixing cyanobacteria. *The Journal of Phycology* . **34**: 812 - 817.

Venkataraman, G.S. (1981). Blue Green Algae: A possible remedy to nitrogen scarcity. *Current Science*. **50**: 253-256.

Venkataraman, G.S.(1975). The role of BGA in tropical rice cultivation. In: Nitrogen Fixation by free dividing microorganisms. W D P Stewart. (Eds.) Cambridge University, Press. Pp. 207-218.

Vermaas, W. F. J. (2001). Photosynthesis and respiration in cyanobacteria. In: Nature Encyclopedia of Life Sciences. *Nature Publishing Group*, London.

Wakita, T. ,Kinoshita, K., Tamada, E., Yasui, N., Kawahara, N., Naoi, A., Nakaya, M., Ebihara, K., Matsuno, H., Kodaka. K. (2003). The discovery of dinotefuran: a novel neonicotinoid. *Pest Management Science*. **59** : 1016–1022.

Wang MC, Gong M, Zang HB, Hua XM, Yao J, Pang YJ, Yang YH. (2006). Effect of methamidophos and urea application on microbial communities in soils as determined by microbial biomass and community level physiological profiles. *Journal of Environmental Science and Health. Part B*.**41**: 399-413.

Watanabe, A. (1965). Studies on blue-green algae as green manure in Japan. *The Proceedings of the National Academy of Sciences*. **35**: 361-369.

Watanabe, A. and Yamamoto, Y. (1971). Algal nitrogen fixation in the tropics. *Plant and soil*. pp. 403-413.

Whitton , B.A. and Roger, P.A. (1989). Use of blue-green algae and *Azolla* in rice culture. *Microbial inoculation of crop plants*. **25**: 89-100.

Yamamoto, Y., Tsukada H.(2009). Measurement of in situ specific growth rates of microcystis (cyanobacteria) from the frequency of dividing cells. *Journal of Phycology*. **45(5)**:1003–1009.

Yasmin , F. (2003). Biofertilizer potential and Mass production of few blue green algal (Cyanobacterial) species of Morigaon District, Assam .Ph.D. thesis, Gauhati University, Guwahati, Assam.

Yasmin, F., Buragohain, B.B. and Sarma, R. (2015).Aquatic algae from Kaziranga National Park, Assam, India. *International Journal of Current Microbiology and Applied Sciences*. **4(12)**: 297-302.

Yuping, Du., Jing, Ye., Liang, Wu, Chuyao, Y., Lumei, W. and Xiaojun, Hu. (2017). Physiological effects and toxin release in *Microcystis aeruginosa* and *Microcystis viridis* exposed to herbicide fenoxaprop-p-ethyl. *Environmental Science and pollution research*. **24(8)**.

Zeeshan, M.M. and Prasad, S.M. (2007). Insecticide induced enhanced effect of UV-B on growth and photosynthesis of Cyanobacterium *Nostoc muscorum*. *Bioscience Research*. **4(1)**: 15-20.

Zhang, W., Jiang, F. and Ou, J. (2011). Global pesticide consumption and pollution: with China as a focus. *Proceedings of the International Academy of Ecology and Environmental Sciences*. **1(2)**: 125-144.

Zhang, Y., Liu, S., Liu, H. and Liu, Z. (2010). Evaluation of the combined toxicity of 15 pesticides by uniform design. *Pest Management Science*. **66(8)**: 879- 887.